

Notice of Allowability

Application No.

10/633,546

Examiner

Joseph P. Martinez

Applicant(s)

WOODS, KEITH

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1-31-05.
2. ☒ The allowed claim(s) is/are 18-23.
3. ☒ The drawings filed on 31 January 2005 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Allowable Subject Matter

Claims 18-23 are allowed.

The following is an examiner's statement of reasons for allowance: the applicant's arguments are deemed persuasive, and furthermore, the prior art taken alone or in combination fails to anticipate or fairly suggest the limitations of the claims, in such a manner that a rejection under 35 USC 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claim 18.

Specifically regarding claim 18, Baab (3727531) teaches the state of the art of an iris diaphragm.

But, Baab fails to explicitly teach each first means including an opening in one of said annular base and annular rotatable element through which passes a tubular connecting portion punched from the material of the associated leaf, a terminal end of each tubular connecting portion being folded back against the one of said annular base and annular rotatable element to effect a secure free pivotal connection therebetween, as claimed.

Specifically regarding claim 18, Geyer et al. (4009946) teaches the state of the art of an iris diaphragm.

Art Unit: 2873

But, Geyer et al. fails to explicitly teach each first means including an opening in one of said annular base and annular rotatable element through which passes a tubular connecting portion punched from the material of the associated leaf, a terminal end of each tubular connecting portion being folded back against the one of said annular base and annular rotatable element to effect a secure free pivotal connection therebetween, as claimed.

Specifically regarding claim 18, Wynne Wilson et al. (6102554) teaches the state of the art of an iris diaphragm.

But, Wynne Wilson et al. fails to explicitly teach each first means including an opening in one of said annular base and annular rotatable element through which passes a tubular connecting portion punched from the material of the associated leaf, a terminal end of each tubular connecting portion being folded back against the one of said annular base and annular rotatable element to effect a secure free pivotal connection therebetween, as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Art Unit: 2873

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph P. Martinez whose telephone number is 571-272-2335. The examiner can normally be reached on M-F 7:00 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y. Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM
2-18-05


Hung Xuan Dang
Primary Examiner